

Maintenance requirements for lead-acid batteries in communication base stations

What is the scope of maintenance for lead acid storage batteries? Scope: This document provides recommended maintenance, test schedules, and testing procedures that can be used to optimize the ...

Redline Processing Notes:IEEE Recommended Practice for Maintenance, Testing, and Replacement of Vented Lead-Acid Batteries for Stationary Applications1.1 Scope1.2 Purpose1.3 Exclusions3.1 Definitions4. SafetyThe purpose of this recommended practice is to provide the user with information and recommendations concerning the maintenance, testing, and replacement of vented lead-acid batteries used in stationary applications. See more on standards.ieee

```
#b_results .b_vidAns{border-radius:6px;box-shadow:0 0 0 1px
rgba(0,0,0,.05);padding:16px 20px;gap:10px;background:#fff}@charset
"UTF-8";#b_results
.b_ans.b_vidAns{box-shadow:none!important;padding:var(--smtc-gap-between-content-medium)
0!important;background:var(--bing-smtc-background-ctrl-fade-on-image-stop-0)}#b_results #serpvidans.vsacf
.mc_vtvc,#b_results #serpvidans.vsacf .mc_vtvc_th,#b_results #serpvidans.vsacf .cico,#b_results
#serpvidans.vsacf .mc_vtvc_htb,#b_results #serpvidans.vsacf .vrhc,#b_results #serpvidans.vsacf
.vrhcp,#b_results #serpvidans.vsacf .vrhtc,#b_results #serpvidans.vsacf
.vrhtpc{border-radius:var(--mai-smtc-corner-list-card-default)}#b_results #serpvidans.vsacf .mmlist
.mc_vtvc,#b_results #serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta{margin:0}#b_results
#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_channel,#b_results #serpvidans.vsacf
.mmlist .mc_vtvc .mc_vtvc_meta_row_channel{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf,#serpv
idans.vsacf .expctn .expbody,#serpvidans.vsacf
.mmlist{display:flex;flex-direction:column;gap:var(--smtc-gap-between-content-medium)}#serpvidans.vsacf
.cico{height:auto}#serpvidans.vsacf .mc_vtvc_ban_lo{top:0;right:auto}#serpvidans.vsacf .mc_cwvc .mc_vtvc
.mc_vtvc_meta,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta{height:auto;padding:var(--smtc-gap-between-content-xx-small) 0
var(--smtc-gap-between-content-xx-small)
var(--smtc-gap-between-content-medium);display:flex;flex-direction:column;justify-content:space-between}#
serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_title,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta
.mc_vtvc_title{color:var(--smtc-ctrl-link-foreground-brand-rest);font:var(--bing-smtc-text-global-body2);heig
ht:auto;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}#serpvidans.vsacf .mc_cwvc
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block{display:flex;flex-direction:column;gap:var(--smtc-padding-ctrl-text-side)}#serpvidans.
vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
```

Maintenance requirements for lead-acid batteries in communication base stations

```
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block
.mc_vtvc_meta_row{color:var(--smtc-foreground-content-neutral-primary);height:var(--mai-smtc-padding-card-default);font:var(--bing-smtc-text-global-caption1)}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before{content:" . "}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block
.mc_vtvc_meta_pubdate{color:var(--bing-smtc-foreground-content-neutral-tertiary);padding-bottom:0}.vsacf
.mc_cwvc .mc_vtvc_con_rc,.vsacf .mmlist .mc_vtvc_con_rc{display:flex}.vsacf .mc_cwvc .mc_vtvc_con_rc
.mc_vtvc_meta_w,.vsacf .mmlist .mc_vtvc_con_rc .mc_vtvc_meta_w{height:auto}.vsacf
.b_title{padding-left:0}.vsacf .b_title
.mmtitle{font:var(--bing-smtc-text-global-subtitle1-strong);margin-bottom:0}.vsacf .b_title .mmtitle
a::after{content:"";margin:5px 5px 0 0;border-top:2px solid
var(--smtc-foreground-content-neutral-primary);border-right:2px solid
var(--smtc-foreground-content-neutral-primary);background-size:7px
7px;width:7px;height:7px;transform:rotate(45deg);display:inline-block;margin-left:4px}#serpvidans.vsacf
.b_title .mmtitle{margin-bottom:0}#serpvidans.vsacf .b_title .mmtitle
a{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf .cardless.mmlist
.mc_vtvc_con_rc,#serpvidans.vsacf .cardless.mmlist .mc_vtvc_th{height:auto}#serpvidans.vsacf
.vsb_tr_c.va_tt{margin:0}#serpvidans.vsacf .vtbc .mv_vtvc_play,#serpvidans.vsacf .vtbc
.mv_vtvc_play_ext{position:static}#serpvidans.vsacf .va_tt
.mc_vtvc_ban_lo{display:block}#serpvidans.vsacf
.mc_bc{width:auto;border-radius:var(--smtc-ctrl-badge-sm-corner);padding:var(--smtc-padding-ctrl-text-side)
var(--smtc-gap-between-content-xx-small)}#serpvidans.vsacf .rmts .mc_bc
ems{display:none}#serpvidans.vsacf a.vsb_tr_t{color:var(--smtc-foreground-content-neutral-primary)}.vsacf
.va_tt .vsb_tr_chd .mc_vtvc_th_dock.rmoverlay{height:36px}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc_th_dock{height:92px;background:linear-gradient(180deg,var(--bing-smtc-background-ctrl-fade-on-image-stop-0) 0%,var(--mai-smtc-background-ctrl-on-image-rest) 100%)}#serpvidans.vsacf .va_tt a.vsb_tr_t{padding:0
0;font:var(--bing-smtc-text-global-body-2-alt-strong)}.vsacf .va_tt .vsb_tr_chd .mc_vtvc
.mc_vtvc_meta,.vsacf .va_tt .vsb_tr_chd .mc_vtvc
.mc_vtvc_title{color:var(--mai-smtc-foreground-ctrl-on-image-rest)}.vsacf
span.vcmt_ctt{font:var(--bing-smtc-text-global-caption2);margin:var(--smtc-gap-between-content-xx-small) 0
0;height:16px}#serpvidans.vsacf .vsb_tr_chd .mc_vtvc_tot .mc_vtvc_title
```

Maintenance requirements for lead-acid batteries in communication base stations

```

strong{font-size:14px;line-height:20px;display:unset}#serpvidans.vsaf      .va_tt      .b_slдрp
.slide:not(:first-child){margin-left:var(--smtc-gap-between-content-small)}#serpvidans.vsaf      .va_tt
.vsb_tr_chd      .mc_vtvc
.mc_vtvc_title{white-space:normal;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}#se
rpvidans.vsaf      .b_module_expansion_control      .b_btnContainer
.b_CompactExpansion{background-color:var(--bing-smtc-background-ctrl-neutral-rest);display:flex;justify-co
ntent:center;align-items:center;gap:4px;width:fit-content;height:auto;padding:8px      12px}#serpvidans.vsaf
.b_module_expansion_control      .b_btnContainer      .b_CompactExpansion
.b_CompactExpansionBtnText{font:var(--bing-smtc-text-global-caption1-strong);color:var(--bing-smtc-foregr
ound-content-brand-rest)}#serpvidans.vsaf      .b_module_expansion_control      .b_btnContainer
.b_CompactExpansion      .b_arrow{display:flex;margin:0;height:auto}#serpvidans.vsaf
.b_module_expansion_control      .b_btnContainer      .b_CompactExpansion      .b_arrow
path#Shape{fill:var(--bing-smtc-foreground-content-brand-rest)}#serpvidans.vsaf
.b_module_expansion_control
.b_btnContainer::after{content:"";position:absolute;width:100%;bottom:20px;left:0;height:1px;border-radius:
1px;background:var(--smtc-stroke-ctrl-on-neutral-rest)}#b_results
.b_ans.b_vidAns{box-shadow:none;padding:12px      20px      0}#b_results      .b_ans.b_vidAns
.vasac{padding:unset;margin:0}#b_results .b_ans.b_vidAns .vsa .b_attribution{padding-bottom:0}#b_results
.b_ans.b_vidAns      .cardless      .salink{margin:0}#b_results      .b_ans.b_vidAns      .mmlist
.mc_vtvc{margin-top:10px}#b_results      .b_ans.b_vidAns      .mmlist      .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0      10px      4px
12px}#b_results      .b_ans.b_vidAns      .mmlist      .mc_vtvc      .mc_vtvc_meta
.mc_vtvc_meta_channel{color:#111}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel,#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{color:#666}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{bottom:0;height:unset}.b_dark      .vsa.cardless
.mc_vtvc{background-color:unset}.mmtitle>a{display:block}.mc_fh{height:100%;border-radius:6px}.mc_tc_
bs{overflow:hidden}.mmlist .mc_vtvc .mc_vtvc_meta { padding: 12px 16px 16px 16px; } .mmlist .mc_vtvc
.mc_vtvc_meta_w { height: 112px; margin-top: -0px; } .mmlist .mc_vtvc .mc_vtvc_title { height: 44px;
line-height: 22px; margin-bottom: 0px; margin-top: 0px; } .mmlist .mc_vtvc .mc_vtvc_meta_block_area {
height: 40px; } .mmlist .mc_vtvc .vtmu, .mmlist .mc_vtvc .vtpl { bottom: 120px; } .mmlist .mc_vtvc_th_dock
{ height: 112px; } .mmlist .mc_vtvc_th .cico { height: 131px; }
.mc_vtvc{background-color:#fff;box-shadow:0      0      0      1px
rgba(0,0,0,.05);line-height:0;margin:0;position:relative;border-radius:6px;overflow:hidden}.mc_vtvc.noshado
w{box-shadow:none}.mc_vtvc_con_rc{border-radius:6px;overflow:hidden;position:relative}.mc_vtvc>a{colo
r:#71777d;display:block;text-decoration:none;width:100%}.mc_vtvc>a:focus::after{outline:2px      solid
#00a89d;width:100%;height:100%;content:"";outline-offset:-2px;position:absolute;top:0;left:0}.mc_vtvc_th{ba
ckground-color:#d5d5d5;position:relative}.mc_vtvc_th
.cico{border-radius:0}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{position:absolute;vertical-align:middle}.mc_vtvc_
ban_lo{bottom:0}.mc_vtvc_ban_up{top:0}.mc_vtvc_title{font-weight:normal;margin-bottom:11px;overflow:

```

Maintenance requirements for lead-acid batteries in communication base stations

```

hidden;color:#111;height:54px;line-height:18px}.mc_vtvc_title
a{display:inline-block;color:#111}.mc_vtvc_title
a:hover{text-decoration:underline}.mc_vtvc_src_ico{float:left;margin-right:4px}.mc_vtvc_act{height:16px;margin-top:-40px;padding:12px
8px;z-index:1}.mc_vtvc_actc{right:16px;bottom:16px;position:absolute;display:inline-block;z-index:1}.mc_vtvc_act_sep{border-top:1px solid #d5d5d5;height:40px;margin:0 8px}.mc_vtvc_fh
.mc_vtvc_act_sep,.mc_vtvc_fh .mc_vtvc_act{visibility:hidden}#serpvidans
.b_topTitle{margin-bottom:8px}.mc_vtvc_htc{width:100%;height:100%;position:absolute;top:0;bottom:0;left:0;right:0}.mc_vtvc_htb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:0;left:0;right:0}.mc_vtvc_ht{width:100%;padding:0
16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vertical-align:middle;text-align:center}.mc_vtvc_th_live_b{background-color:#c80000;color:#fff;display:inline-block;padding:2px 8px;font:11px/14px
Arial;border-radius:2px;text-transform:uppercase;height:15px;width:26px;position:absolute;left:8px;top:110px}.isvctrl .isv
.mc_vtvc_ban_up{left:0;right:initial}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{right:0}.vt_text.b_lRight
.b_lLeft{margin:0 0 0 1px;height:14px;line-height:14px;padding:2px
8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.mc_vthtb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:0;left:0;right:0;display:table}.mc_vtht{width:100%;padding:0
16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vertical-align:middle;text-align:center;display:table-cell}.vt_text.b_lRight .b_lLeft{margin:0 0 0
1px;height:14px;line-height:14px;padding:2px
8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_center_play{width:32px;height:32px;background-size:cover;position:absolute;margin:auto;bottom:0;top:0;left:0;right:0;box-shadow:none;border-radius:0}.mc_vtvc_center_play.rmvbg{width:32px;height:32px;background-image:none}.mc_vtvc_htb,.mc_vtvc_ht{display:none}.vt_onhv .mc_vtvc_htb{display:table}.vt_onhv
.mc_vtvc_ht{display:table-cell}.mc_vtvc_center_play{display:inline-block}.vt_onhv
.mc_vtvc_center_play{display:none}.mc_vtvc .vtmu,.mc_vtvc .vtpl{bottom:163px}.vsarf .mc_vtvc
.vtmu,.vsarf .mc_vtvc .vtpl{bottom:122px}.svarh #mmcar .mc_vtvc .vtmu,.svarh #mmcar .mc_vtvc
.vtpl{bottom:137px}.svarht #mmcar .mc_vtvc .vtmu,.svarht #mmcar .mc_vtvc
.vtpl{top:8px;left:8px}.mc_vtvc_center_play{background-image:url(data:image/svg+xml,%3Csvg%20width%3D%2232%22%20height%3D%2232%22%20viewBox%3D%220%200%2032%2032%22%20fill%3D%22none%22%20xmlns%3D%22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0D%0A%20%20%20%20%3Crect%20width%3D%2232%22%20height%3D%2232%22%20rx%3D%2216%22%20fill%3D%22black%22%20fill-opacity%3D%220.6%22%2F%3E%0D%0A%20%20%20%20%3Cpath%20d%3D%22M14.2354%2010.1923C13.2355%209.62986%2012%2010.3524%2012%2011.4997V20.5C12%2021.6472%2013.2355%2022.3698%2014.2354%2021.8073L22.2356%2017.3073C23.2551%2016.7339%2023.2551%2015.2661%2022.2357%2014.6926L14.2354%2010.1923Z%22%20fill%3D%22white%22%20fill-opacity%3D%220.9%22%2

```

Maintenance requirements for lead-acid batteries in communication base stations

```

F%3E%0D%0A%3C%2Fsvg%3E)}}.mmlist .mc_vtvc{margin:10px 1px 0}.mmlist
.mc_vtvc_con_rc{display:flex}.cardless .mmlist .mc_vtvc_con_rc{height:112px}.mmlist .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px
12px;padding:0}.mmlist
.mc_vtvc_title{font-weight:400;font-size:16px;height:44px;line-height:22px;margin-bottom:0;margin-top:0;c
olor:unset}.mmlist .mc_vtvc_meta_row{font-size:13px}.mmlist .mc_vtvc
.mc_vtvc_meta_block_area{height:unset}.mmlist .mc_vtvc .vtmu,.mmlist .mc_vtvc
.vtpl{bottom:8px}.cardless .mmlist .mc_vtvc{box-shadow:none}.cardless.mmlist
.mc_vtvc_center_play{width:32px;height:32px}.cardless.mmlist
.mc_vtvc_title{font-size:16px;color:unset}.cardless.mmlist
.mc_vtvc_meta_row{line-height:20px}.cardless.mmlist
.mc_vtvc_meta_pubdate{padding-bottom:2px;color:#666}.cardless.mmlist .mc_vtvc_th,.cardless.mmlist
.mc_vtvc_th .cico,.cardless.mmlist .mc_vtvc_th div.rms_img{border-radius:6px}.cardless.mmlist
.mc_vtvc_th{height:111px}.cardless.mmlist
.mc_vtvc_htc{border-radius:6px;overflow:hidden}#serpvidans.vasac.cardless{box-shadow:none}.cardless.m
mmlist .mc_bc{padding:2px 8px;line-height:14px;border-radius:2px;font-weight:normal}.mmlist
.mc_vtvc: hover
.mc_vtvc_title{text-decoration:underline}.mc_vtvc_meta{box-sizing:border-box;display:inline-block;line-hei
ght:18px;position:relative;width:100%}.mc_vtvc_meta_block{bottom:0;position:absolute;width:100%}.mc_v
tvc_meta_row{line-height:16px;font-size:11px;height:17px;overflow:hidden;text-overflow:ellipsis;white-spac
e:nowrap}.mc_vtvc_meta_row a{display:inline-block}.mc_vtvc_meta_row
a:hover{text-decoration:underline}.mc_vtvc_meta_block_area{position:relative}.mc_vtvc_meta_block,.mc_v
tvc_meta_block a{color:#444}.b_dark
.mc_vtvc_meta_block{color:#edebe9}.mc_vtvc_meta_row>:nth-of-type(n+2)::before{content:"
"}.mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before{content:"
"}.mc_vtvc_kmt_title{line-height:18px;padding-bottom:4px;font-weight:bold;color:#00809d;text-transform:u
ppercase;font-size:11px}.mc_vtvc_kmt,.mc_vtvc_con_rc.onhov .wkmt
.mc_vtvc_meta_row,.mc_vtvc_con_rc.onhov .wkmt .tbc_tt{display:none}.mc_vtvc_con_rc.onhov .wkmt
.mc_vtvc_title{max-height:18px;margin-bottom:18px;overflow:hidden}.mc_vtvc_con_rc.onhov.mmsts
.mc_vtvc_title{visibility:hidden}.mc_vtvc_con_rc.onhov
.mc_vtvc_kmt{display:block}.mc_vtvc_kmt_content
.b_factrow{line-height:17px;font-size:11px;max-height:34px;overflow:hidden;text-overflow:ellipsis;padding:
0 16px 0 0;color:#444}.mc_vtvc_meta
.mc_vtvc_kmt_title{line-height:18px}.mc_vtvc_title:hover{text-decoration:none}.mc_vtvc_meta_pubdate{co
lor:#444;padding-bottom:3px}.mc_vtvc_meta_channel{color:#444}.mc_vtvc_meta_w,.mc_vplvc_meta_w{po
sition:relative}.mc_vtvc_meta_bg_w,.mc_vplvc_meta_bg_w{height:100%;width:100%;overflow:hidden;posit
ion:absolute;top:0}.mc_vtvc_meta_bg_w .cico,.mc_vplvc_meta_bg_w
.cico{border-radius:0;overflow:visible}.dg_u .mm_vidch_th_c{overflow:visible}.dg_u .mm_vidch_th_bg
img{margin-top:-20px}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_meta_w
.mc_vtvc_meta{background:rgba(255,255,255,.75)}.mc_vtvc_meta_bg_w img,.mc_vtvc_meta_bg_w

```


Maintenance requirements for lead-acid batteries in communication base stations

```
.mc_vtvc_cb_w{filter:blur(25px);transform:scale(1.2)}body{--video-metadata-channel-color:#3c3c3c}body.b
_dark{--video-metadata-channel-color:unset}.vsarf .mc_vtvc_meta_pubdate{color:unset}.vsarf
.mc_vtvc_meta_channel{color:var(--video-metadata-channel-color)}.vsarf .mc_vtvc .mc_vtvc_meta_w
.mc_vtvc_title,.vsarf .mc_vtvc .mc_vtvc_meta_w .mc_vtvc_title strong{font-weight:bold}.vsarf
.mc_vtvc_meta_w .mc_vtvc_meta_row{font-size:13px}.emptyStyleForDebuggingPurpose{top:0}.vsarf
.mc_vtvc_th
.cico{height:132px}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.empt
yStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurp
ose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.vtbc
.mv_vtvc_play{display:inline-block;position:absolute;bottom:8px;left:9px;height:8px;width:7px}.vtbc
.mv_vtvc_play_ext{background:url(/rp/Lp38sn_O4jegSK0IHxZVxyp-yKQ.png) -172px
-31px;display:inline-block;height:8px;width:12px;position:absolute;bottom:8px;left:6px}.vtbc
.pivot{height:20px;width:8px;min-width:8px}.vtbc
.mv_vtvc_play{background:url(
MAAADHKvg1AAAAIVBMVEX//////////9/gMdvAAAACnRSTlMAETNEVWwImbv
uo4D1oAAAAB9JREFUCB1jmMoABKuaQcSqQhCxKgFGgLnNQIkpQAwA8zkLyQA16F0AAAAASUVO
RK5CYII=)}.mc_bc_w{height:18px;padding:8px;text-align:right}.mc_bc{background-color:rgba(0,0,0,.75);p
adding:2px
8px;line-height:14px;color:#fff;display:inline-block;vertical-align:middle;border-radius:2px;font-weight:bold}
.mc_bc_w .pivot{text-align:center;margin-right:1px;height:14px}.vsarr .mmgrid .mc_bc_w
.mc_bc{background-color:rgba(0,0,0,.75);opacity:1}.mmsi{height:16px;width:16px;position:relative;top:5px;
padding-right:var(--smtc-gap-between-content-xx-small)}.mmsi-microsoftnews,.mmsi-msn{top:3px}.vrhdata
{display:none}.mmgrid>div{width:197px;display:inline-block;margin-right:8px;margin-bottom:8px;box-shad
ow:0 0 0 1px
rgba(0,0,0,.05);position:relative;vertical-align:top;overflow:hidden;white-space:normal;border-radius:6px}.vs
arr .mmgrid>div,.vsarr1stbig .mmgrid>div{margin-right:8px;margin-bottom:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{height:auto}#serpvidansrr .mc_vtvc
.mc_vtvc_title{display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}.mmgrid
.mc_tc{border:0}.vsa .mmgrid>div:nth-child(3n){margin-right:0}.vsa
.b_moreLink{padding-top:4px}#serpvidansrr
.mc_vtvc_meta_row{line-height:18px;font-size:100%;height:17px}.vsarr
.mmgrid>div:nth-child(2n){margin-right:0}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:128px}.vsarr1stbig .mmgrid>div:nth-child(2){margin-right:0}#serpvidansrr.uipolish
.mc_vtvc_meta_pubdate,#serpvidansrr.uipolish .mc_vtvc_meta_channel,#serpvidansrr.uipolish #vidans2
.b_videocard .video_metadata .video_source{color:#767676}#serpvidansrr #vidans2 .b_videocard
.video_metadata_container,#serpvidansrr #vidans2 .b_videocard .video_metadata_container
.video_metadata>h3{width:100%}@media(max-width:1362.9px){#serpvidansrr
.mmgrid>div{width:168px;height:206px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr .mmgrid>div .cico
.rms_img{width:168px;height:100px}#serpvidansrr .mc_vtvc .mc_vtvc_meta{padding:12px}#serpvidansrr
.mc_vtvc .mc_vtvc_title{height:32px;line-height:16px;margin-bottom:16px}#serpvidansrr .mc_vtvc
```

Maintenance requirements for lead-acid batteries in communication base stations

```
.mc_vtvc_meta_block_area{height:34px}#serpvidansrr
.mc_vtvc_meta_row{line-height:15px;font-size:13px;height:15px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:4px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:114px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:343px!important;height:194px!important;margin-right:0}}@media(max-width:1274.9px){#s
erpvidansrr .mmgrid>div{width:124px;height:164px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr
.mmgrid>div .cico .rms_img{width:124px;height:76px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{padding:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_title{height:32px;line-height:16px;margin-bottom:12px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:28px}#serpvidansrr
.mc_vtvc_meta_row{line-height:13px;font-size:11px;height:13px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:2px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:96px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:256px!important;height:144px!important;margin-right:0}#serpvidansrr .maskthumb
.mc_bc_w{padding:8px 4px 4px 8px}#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(1),#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(2){margin-bottom:24px}#serpvidansrr.withsplitline .mmgrid{border-bottom:1px
solid #ececec;margin-bottom:16px}#serpvidansrr #vidans2 .b_videocard
.video_metadata{max-width:auto;padding:12px 16px}#serpvidansrr #vidans2
.b_videocard{margin-bottom:12px;box-shadow:0 0 1px rgba(0,0,0,.05),0 2px 3px
rgba(0,0,0,.1);border-radius:6px}#serpvidansrr .b_rich{padding-top:0}#serpvidansrr #vidans2
.videoPlayer{border-radius:6px 6px 0 0;overflow:hidden}#serpvidansrr #vidans2 .b_videocard
.video_metadata>h3{white-space:nowrap;overflow:hidden;text-overflow:ellipsis;-webkit-line-clamp:1;line-he
ight:15px;height:15px;font-size:13px;color:#000;margin-bottom:20px;font-family:"Arial",Helvetica,Sans-Seri
f;font-style:normal;display:block}#serpvidansrr.vsarr1stbig #vidans2 .b_videocard .video_metadata
.actionmenu{display:none}#serpvidansrr #vidans2 .b_videocard .video_summary,#serpvidansrr #vidans2
.b_videocard .video_source{line-height:15px}#serpvidansrr #vidans2 .b_videocard .videoPlayer
.vtbc{right:0}.vrhc line.nhvpv .pffvi,.vrhc line.nhvpv[data-tps="S"] .pffvt,.vrhc line.nhvpv[data-tps="M"]
.pffvt,.vrhc line.nhvpv[data-tps="L"] .pffvt{display:inline-flex}.vrhc line.nhvpv .vrhtc.pffv
.vrhol{display:none}.vrhc line.nhvpv .vrhtc.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.mc_vtvc_th img{transition:all .3s
ease-out}.nhvpv+.mc_vtvc_th
img{transform:scale(1.1)}.smtplayerhtml5{height:100%;width:100%;overflow:hidden}.smtplayerhtml5
video{min-height:100%;min-width:100%}.smtplayerhtml5
.videoplaying{background-color:#000}.smtplayerhtml5.hide{display:none}.pffvt{display:none;color:var(--ma
i-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-subtitle2-strong)}.pffvi{mask:url(/rp/ui
```

Maintenance requirements for lead-acid batteries in communication base stations

07wU6K7FR_inzG7DRbP1i8fGo.svg) center

no-repeat;mask-size:12px;background:var(--bing-smtc-background-card-on-image-default);width:20px;height:20px;flex-shrink:0;align-self:flex-start}[data-tps="L"]

.pffvt{font:var(--bing-smtc-text-global-subtitle2-strong)}[data-tps="L"]

.pffvi{width:22px;height:22px;mask-size:16px}[data-tps="S"] .pffvt{font-size:0}[data-tps="S"]

.pffvi{width:24px;height:24px;mask-size:24px;align-self:center}.hvpv.h5s

.pffvt{display:inline-flex}.hvpv.h5s .vrhct.pffv .vrhol{display:none}.hvpv.h5s .vrhct.pffv

.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color .5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);gap:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.pffvt{text-decoration:underline}.vrhcp

.vrhol{position:absolute;width:100%;height:35px;max-height:35px;bottom:0;left:0;padding:0;background:none;display:block;z-index:9}.vrhcp .vrhol.hide,.vrhcp .vrhol

.hide{display:none}.vrhot{white-space:nowrap;text-overflow:ellipsis;overflow:hidden;display:inline-block;position:absolute;max-width:240px;height:18px;line-height:14px;margin-left:8px;top:10px;left:0;right:0;border-radius:2px;padding-right:8px}.vrhot div{display:inline-block}.vrhot

nt{color:#fff;font-size:11px;font-weight:bold;background-color:rgba(0,0,0,.75);padding:2px 8px;margin-left:0;top:0;box-sizing:border-box;position:relative}.vrhc

.ricons{position:absolute;right:8px;top:10px;left:auto;bottom:auto;height:18px;display:inline-block;cursor:pointer}.vrhol.icons_1 .vrhot{margin-right:27px}.vrhol.icons_2 .vrhot{margin-right:49px}.vrhol.icons_3 .vrhot{margin-right:79px}.vrhol .vrhot .vsb_tr_chd .vrhol.icons_1 .vrhot{margin-right:0}.vpb{position:absolute;display:block;bottom:0;left:0;height:4px}.vpb

div{position:absolute}.vpb nt{width:0;background:#fff}.vpb

nt.test{display:none}.vpb.back{background-color:#999}.vrhcp

.vrhol.npb{height:36px;max-height:36px}.vrhol

.vadda{width:22px;height:18px;padding:0;margin-right:0;margin-left:2px;bottom:0;position:relative;display:inline-block;z-index:1;background:rgba(0,0,0,.75);border-radius:2px;overflow:hidden}.vrhol

.vadda.hide{display:none}.vrhol .vadda .mc_vfaa{margin:3px 5px}.ricons .vol{float:left}.ricons .adultFlag{float:right}.vol{width:22px;height:18px;bottom:0;margin-left:1px;margin-right:1px;position:relative;display:inline-block}.vol.hide,.vol .hide{display:none}.vol

.bg{background:rgba(0,0,0,.75);border-radius:2px}.vol.bg,.vol nt{position:absolute;bottom:0}.vol

.vol.bg.volnb{border-radius:0 0 2px 2px}.vol .volsliderHandle.bg{border-radius:2px 2px 0 0}.vol nt

.volsliderHandle{height:70px;display:none;width:22px;float:left;bottom:18px;position:absolute;display:block}.vol nt .volsliderHandle.hide{display:none}.volsliderHandle

.vsb{height:54px;width:4px;background-color:#999;margin:9px auto 8px;position:relative;display:block;border-radius:2px}.volsliderHandle

.vsh{height:6px;width:14px;padding:9px 7px 9px 7px;margin:0 -12px;display:block;position:absolute;top:30px}.volsliderHandle .vsh.hide{display:none}.volsliderHandle

.vshi{height:4px;width:14px;background-color:#fff;border-radius:2px}.volMuteIcon{width:16px;height:14px;margin:2px 4px;float:left}.volMuteHandle{width:22px;height:18px}.vo{background:url(/rp/ffZxBXEIP9WYOO0jhTaEl

Maintenance requirements for lead-acid batteries in communication base stations

yLhEVU.svg) no-repeat}.vm{background:url(/rp/fsX-ZVd03wB2TL0vmQJxSp4U9vs.svg) no-repeat}.vl{background:url(/rp/YXYMPC1Rry_XJGc7Yg8lR4B2eEs.svg) no-repeat}.vf{background:url(/rp/NosrlR4amKTs1zYxWy3laZN3HRk.svg) no-repeat}@media(forced-colors:active){.vol{forced-color-adjust:none}}.vrhc line .vt_vp,.vrhc.popout .vt_vp,.vrhc.mousefollow .vt_vp{position:absolute;bottom:0;border:hidden;padding:0;top:0;left:0;z-index:3}.vrhtc .hide{display:none}.vrh_clc .vt_vp,.vrh_clc .vrhtc .vrhi,.vrh_clc .player_ol{cursor:pointer}.vrh_clc .cico{border-radius:0}.vrhtc{border:hidden;top:0;left:0;padding:0}.vrhc.mousefollow .vrhtc,.vrhc.popout .vrhtc{background-color:#999}.vrhtpc.load .player_ol{background:url(/rp/J_o2maogFDeUOsovPJJL-ofEuxJ4.gif) center center no-repeat}.vrhc line .vrhtc .vrhi,.vrhc.popout .vrhtc .vrhi,.vrhc.mousefollow .vrhtc .vrhi{position:absolute!important;border:hidden;z-index:2;padding:0;left:0;top:0}.player_ol{position:absolute;width:100%;height:100%;bottom:0;border:hidden;z-index:7}.vrhc.popout,.vrhc line,.vrhc.mousefollow{border-radius:6px;overflow:hidden;display:table-row-group;background:none}.vrhc.p opout,.vrhc.mousefollow{z-index:4;box-shadow:0 4px 4px rgba(0,0,0,.1),0 2px 80px rgba(0,0,0,.2)}.vrhc line{z-index:1;margin:0}.vrhc.popout,.vrhc line{position:absolute;top:0}.vrhc.popout{border:1px solid #fff}.vrhc.mousefollow{position:fixed}.vrhcp{position:relative;top:0;left:0;display:table-row}.vrhcp .vrhtc{position:relative;overflow:hidden}.vrhc.hide{display:none}@keyframes vh_fadein{from{opacity:0}to{opacity:1}}.vrhc.not(.hide){animation:vh_fadein 250ms}.vrhc line img{color:transparent}.vrhc line.fullsize{height:100%}.vrhc,.vrhc: hover,.vrhc: link,.vrhc: active,.vrhc: visited{color:#000;text-decoration: none}.vrhc.vrh_clc{cursor:pointer}a.hover-anchor{display:block;height:100%;width:100%;text-decoration:none}.vrhstat{height:0;overflow:hidden}Videos of Maintenance Requirements For Lead-Acid Batteries In Com...Watch video4:34Proper Lead-Acid Battery Maintenance Clint Kaeb8.5K viewsFeb 2, 2022Watch video6:05Lead Acid Battery Maintenance | battery Cell Maintenance | Batteries Info Batteries Info 786416 views6 months agoWatch video8:15LEAD ACID BATTERY SETTINGS WITH SOLIS INVERTER | Charging current of Lead Acid battery. Arshad Ali2K views7 months agoWatch full videorackbattery Comprehensive Guide to Battery Maintenance and Performance in ...Telecom batteries ensure continuous power to communication networks, supporting stable connectivity during outages or grid failures. Proper maintenance, environmental control, and optimized charging ...

Proper care and routine maintenance are essential to maximize the lifespan and performance of any lead-acid telecom battery. This guide outlines key practices to help improve long ...

Maintaining lead-acid batteries properly is vital to ensuring reliable operation in telecom base stations. Routine checks and adherence to maintenance protocols can extend the lifespan of ...

Flooded Lead-Acid Batteries: Known for their cost-effectiveness and reliability, these batteries have been the traditional choice for telecom backup applications. They require periodic ...

Maintenance requirements for lead-acid batteries in communication base stations

This article clarifies what communication batteries truly mean in the context of telecom base stations, why these applications have unique requirements, and which battery technologies are ...

This comprehensive guide will delve into the types of telecom batteries, their applications, maintenance tips, and the latest advancements in battery technology.

The purpose of this recommended practice is to provide the user with information and recommendations concerning the maintenance, testing, and replacement of vented lead-acid batteries used in ...

Backup batteries ensure that telecom base stations remain operational even during extended power outages. With increasing demand for reliable data connectivity and the critical nature of emergency ...

The major cause of deterioration in lead-acid batteries is sulfation. There are patents on the use of high-frequency pulse desulfators to desulfate lead-acid batteries.

Telecom batteries ensure continuous power to communication networks, supporting stable connectivity during outages or grid failures. Proper maintenance, environmental control, and optimized charging ...

Web: <https://www.idsolar.co.za>